



Liquid Processing Equipment Ltd

LIQUID PROCESSING EQUIPMENT



PURIFICATION |

CONCENTRATION |

CLARIFICATION



LIQUID PROCESSING EQUIPMENT


John G Dacey

Tel: +64 21 613 083

Email: john@lpe.co.nz

Web: www.lpe.co.nz

SEPARATOR FEATURES FOR BEER PROCESS



PRODUCT MODEL

Model	BRSX12	BRSX45	BRSX75	BRSX90	BRSX150	BRSX300
Hydraulic capacity	6,000L/H	10,000L/H	20,000L/H	25,000L/H	35,000L/H	50,000L/H
Capacity	300-1,500L/H	1,200-3,500L/H	2,500-7,500L/H	3,000-10,000L/H	3,500-13,000L/H	6,000-16,000L/H
Power	5.5KW	11kw	15kw	18.5kw	22kw	37kw
Dimension(mm)	950×950×1250	1500×1100×1500	1772×1473×1855	1772×1500×1855	1800×1500×1855	2100×1700×2350
Skid weight(kg)	~980kg	~1560kg	~2780kg	~3160kg	~3850kg	~4230kg

*Capacity is related with beer types and required clarity.

TYPICAL APPLICATIONS

- Hot Wort Separation
- Trub Wort Separation
- Cold Wort Separation
- Green Beer Separation
- Green Beer Clarification with Addition of Yeast / Tank Bottoms
- Clarification of Beer before Kieselguhr Filtration
- Beer Recovery from Surplus Yeast and Tank Bottoms
- Manufacture of Non-Alcoholic Beer
- Kvass
- Turbidity Adjustment with Separators



PROCESS FLOW

