

Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	250	Power	10Kw(electric heating)	
Dimension(mm)	1800x1200x2600	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	100L	
Usage	Alcohol making	Lead time	40–50working day	
Heating Method	Electric heating /Steam heating			
Applicable to	Brandy, Rum, Gin, Vodka(Multiple distillation necessary)			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			

Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	200	Power	10Kw(electric heating)	
Dimension(mm)	1300x800x2400	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	100L	
Usage	Alcohol making	Lead time	40–50working day	
Heating Method	Electric heating /Steam heating			
Applicable to	Brandy, Rum, Gin, Vodka(Multiple distillation necessary)			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			







Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	320	Power	20Kw(electric heating)
Dimension(mm)	2300x1300x2500	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	200L
Usage	Alcohol making	Lead time	40–50working day
Heating Method	Electric heating /Steam heating		
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka(Multiple distillation necessary)		
After Sales Service	Lifetime after–sales (chargeable service beyond guarantee)		

Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	260	Power	20Kw(electric heating)
Dimension(mm)	2000x900x2300	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	200L
Usage	Alcohol making	Lead time	40-50working day
Heating Method	Electric heating /Steam heating		
Applicable to	Brandy, Rum, Gin, Vodka(Multiple distillation necessary)		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		



Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	470	Power	18KW(electric powered steam generator)/30Kw (heating element)
Dimension(mm)	2400x1200x3350	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	300L
Usage	Alcohol making	Lead time	40–55working day
Heating Method	Steam heating/Electric heating		
Applicable to	Brandy, Rum, Gin, Vodka		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		

Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	750	Power	18KW(electric powered steam generator)/30Kw (heating element)	
Dimension(mm)	3200x1250x3750	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	300L	
Usage	Alcohol making	Lead time	40–55working day	
Heating Method	Steam heating/Electric heating			
Applicable to	Whiskey, Brandy, Rum, Vodka			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			







Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	310	Power	30Kw(electric heating)
Dimension(mm)	4000x1200x2650	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	50L
Usage	Alcohol making	Lead time	40–50working day
Heating Method	Electric heating /Steam heating		
Applicable to	Whiskey		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		


Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	600	Power	36Kw(electric powered steam generator)	
Dimension(mm)	2700x1400x2700	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	500L	
Usage	Alcohol making	Lead time	45–55working day	
Heating Method	Electric heating /Steam heating			
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka(Multiple distillation necessary)			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			





Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	920	Power	36Kw(electric powered steam generator)	
Dimension(mm)	4550x1500x4700	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	500L	
Usage	Alcohol making	Lead time	40–50working day	
Heating Method	Electric heating /Steam heating			
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			

Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	1600KG	Power	72KW(electric powered steam generator)/ 100KG /H (gas powered steam generator)	
Dimension(mm)	4800x2700x4650	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	500L	
Usage	Alcohol making	Lead time	45–55working day	
Heating Method	Electric heating /Steam heating			
Applicable to	Brandy, Rum, Vodka			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			











Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	1050	Power	72KW(electric powered steam generator/100KG/H (gas powered steam generator)	
Dimension(mm)	3400x1700x2800	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	1000L	
Usage	Alcohol making	Lead time	45–60working day	
Heating Method	Steam heating			
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka(Multiple distillation necessary)			
After Sales Service	Lifetime after–sales (chargeable service beyond guarantee)			



Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	1915	Power	90KW(electric powered steam generator/ 150KG/H (gas powered steam generator)
Dimension(mm)	4600x2300x6000	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	1200L
Usage	Alcohol making	Lead time	45–60working day
Heating Method	Steam heating		
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		

Brand		Model			
Voltage	220V/240V/380V/405V	Certificate	CE ISO		
Weight(kg)	850	Power	90KW(electric powered steam generator)/150KG/H (gas powered steam generator)		
Dimension(mm)	3500x1500x3400	Guarantee	12months after delivery		
Material	SUS304/SUS316/T2 Red copper	Capacity	1200L		
Usage	Alcohol making	Lead time	45–60working day		
Heating Method	Steam heating				
Applicable to	Whiskey, Brandy, Gin				
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)				







Brand		Model			
Voltage	220V/240V/380V/405V	Certificate	CE ISO		
Weight(kg)	2050	Power	108KW(electric powered steam generator)/150KG/H (gas powered steam generator)		
Dimension(mm)	4100x2100x5800	Guarantee	12months after delivery		
Material	SUS304/SUS316/T2 Red copper	Capacity	1500L		
Usage	Alcohol making	Lead time	45–60working day		
Heating Method	Steam heating				
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka				
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)				

Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	2200	Power	108KW(electric powered steam generator)/150KG/H (gas powered steam generator)
Dimension(mm)	5000x1600x4500	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	1500L
Usage	Alcohol making	Lead time	45-60working day
Heating Method	Steam heating		
Applicable to	Brandy, Rum, Vodka		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		





Brand		Model			
Voltage	220V/240V/380V/405V	Certificate	CE ISO		
Weight(kg)	3400	Power	108KW(electric powered steam generator)/150KG/H (gas powered steam generator)		
Dimension(mm)	7200x5200x6300	Guarantee	12months after delivery		
Material	SUS304/SUS316/T2 Red copper	Capacity	1600L		
Usage	Alcohol making	Lead time	45–60working day		
Heating Method	Electric heating /Steam heating				
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka				
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)				

Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	3200KG	Power	200KG/H(gas powered steam generator)
Dimension(mm)	6100x2500x5500	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	1000L
Usage	Alcohol making	Lead time	45–60working day
Heating Method	Steam heating		
Applicable to	Vodka		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		





Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	4800	Power	360KW(electric powered steam generator)/400KG/H (gas powered steam generator)	
Dimension(mm)	5900x4900x7100	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	3500L	
Usage	Alcohol making	Lead time	50–65working day	
Heating Method	Steam heating			
Applicable to	Whiskey, Brandy, Rum, Gin, Vodka			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			

Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	3550	Power	500KW(electric powered steam generator)/400KG/H (gas powered steam generator)	
Dimension(mm)	4700x2400x4800	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	4000L	
Usage	Alcohol making	Lead time	45-60working day	
Heating Method	Steam heating			
Applicable to	$Whiskey, Brandy, Rum, Vodka (Multiple\ distillation\ necessary)$			
After Sales Service	Lifetime after–sales (chargeable service beyond guarantee)			





Brand		Model		
Voltage	220V/240V/380V/405V	Certificate	CE ISO	
Weight(kg)	4500	Power	1000KG/H(gas powered steam generator)	
Dimension(mm)	7300x3400x7300	Guarantee	12months after delivery	
Material	SUS304/SUS316/T2 Red copper	Capacity	6000+4500L	
Usage	Alcohol making	Lead time	55–70working day	
Heating Method	Steam heating			
Applicable to	Whiskey			
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)			





Essential Oil Distiller



Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	80	Power	5Kw(electric heating)
Dimension(mm)	800x750x1650	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	50L
Usage	Alcohol making	Lead time	35–45working day
Heating Method	Electric heating /Steam heating		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		


Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	250	Power	10KW(electric heating) /6KW(electric powered steam generator)
Dimension(mm)	1600x1000x2000	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	100L
Usage	Alcohol making	Lead time	40–50working day
Heating Method	Electric heating /Steam heating		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		







Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	180KG	Power	10KW(electric heating)/ 6KW(electric powered steam generator)
Dimension(mm)	1300x750x2100	Guarantee	12months after delivery
Material	SUS304/SUS316	Capacity	100L
Usage	Essential oil making	Lead time	40–50working day
Heating Method	Electric heating/Steam heating		
After Sales Service	Lifetime after–sales (chargeable service beyond guarantee)		







Brand		Model	
Voltage	220V/240V/380V/405V	Certificate	CE ISO
Weight(kg)	360	Power	30KW(electric heating)/ 24KW(electric powered steam generator)
Dimension(mm)	2300x1300x2500	Guarantee	12months after delivery
Material	SUS304/SUS316/T2 Red copper	Capacity	300L
Usage	Alcohol making	Lead time	45–55working day
Heating Method	Electric heating /Steam heating		
After Sales Service	Lifetime after-sales (chargeable service beyond guarantee)		









Products we designed

Small & Medium Equipments















Products we designed

Large Scale Equipments

















